

HOSPITALITY BOTTLING SYSTEM

Cobra Single Tap

Chilled · Ambient · Filtered









hydrateconsciously! We're committed to reducing plastic waste

Cobra Single Tap

High volume chilled water





WATER OPTIONS







Chilled

Filtered

Ambient

INSTALLATION OPTIONS



Over Font



KEY FEATURES

- Brass font with chrome finish as standard
- Ambient and chilled water options
- 3 10°C temperature
- Timeless design
- Over font installation
- · Optional clamp-to-the-bar fixing
- Comes with 1 round Pura badge holder
- Optional drip tray
- With PuraFiltration

A professional, robust solution, dispensing chilled or ambient water, ideal for high volume water bottle management.

The under-counter unit can be installed under the bar counter or in remote corners of a room to dispense large quantities of water, improving efficiency in any type of venue.

The optional clamp-to-the-bar fixing makes installation simple.

DIMENSIONS

Tap height:	590mm
Tap width:	100mm
Tap depth:	250mm
Dispense height:	300mm
Dispense height incorporating drip tray:	270mm



The Cobra Single Tap dispenses chilled filtered water, instantly from a high output under-counter unit.

The timeless design looks professional on all bars and counters, and the tall dispense height allows easy bottle and jug filling.

The Cobra Single Tap is supplied with two printed Pura badges as standard, making it easy to label your chosen water dispense option.



The under sink unit fits discretely under any worktop or counter-top.

Why choose **PuraServe**?

pura pura della and della

Everything you'll need is included within your rental price:


- Site survey
- Water dispensing system
- 60 re-usable Pura glass bottles
- 120 reusable silver bottle caps
- 1 glass washer tray
- 6 monthly PuraFilter changes
- 6 monthly system health check
- 6 monthly full sanitisation
- Full call-out warranty, parts and labour
- Delivery and installation
- Option: personalised glass bottles

Enjoy these additional benefits:

- Cost from just 3p per750ml bottle serving
- Reduce carbon footprint
- Reduce recycling costs
- Cut single-use, plastic bottled water
- Gain fridge and storeroom space
- Reduce environmental impact of transportation and packaging waste
- Bespoke bottle printing from £9.50+VAT each

TAP DIMENSIONS

Dimensions shown in mm



INSTALLATION REQUIREMENTS

The Cobra Tap requires adequate worktop and cupboard space for installation. Please ensure that the following is available where the system is to be installed:

- Minimum installation worktop depth 350mm.
 (Allows for drip tray at size: W 410mm x D 225mm x H 30mm).
- ✓ Minimum height clearance requirement: H 600mm.
- Minimum base unit installation cupboard space:
 30 model: W 455mm x D 600mm x H 450mm.
 45 model: W 455mm x D 600mm x H 450mm.
 65 model: W 550mm x D 620mm x H 550mm.
- A potable mains water supply within 5 metres of unit installation location.
- A 240-volt electric socket within 1 metre of unit location.
- ✓ A cylinder of food grade CO₂ gas. (Applies to customers choosing a sparkling water option only.)
- Worktops are clear and in a finished state.
- Sufficient ventilation is in place for the refrigerated unit (if housed by a cupboard).
- Any cupboard construction to house the equipment is complete (if applicable).


All of the above can be confirmed in your site survey.


OUTPUT OPTIONS

The Cobra is fed from an under-sink unit. There are many output options to suit your requirements.

Under-counter model	Chilled litres/hr	Sparkling litres/hr	Rating (kW) @ 230V	Under-counter unit dimensions (mm)
JClassIN 30 10 - 40 people	30	N/A	350W	W 255 x D 400 x H 400
JClassIN 45 30 - 50 people	45	N/A	350W	W 255 x D 400 x H 400
NiagaraIN 65 50 - 100 people	65	65	300W	W 350 x D 420 x H 500

UNDERCOUNTER UNIT DIMENSIONS





AVAILABLE ACCESSORIES



Pura Reusable Glass Bottles

Order additional PuraServe glass water bottles for use with your water dispenser.



Bespoke Printed Glass Bottles

Add your own company logo to our range of reusable glass water bottles. Choice of screw cap colours.



Glass Bottle Washer Trays

Wash Pura bottles faster with additional 400mm or 500mm commercial glasswasher trays.



Stand-alone Drip Tray

Stainless steel. Max. W 410 x D 225 x H 35mm



Recessed Drip Tray

Stainless steel. W 410 x D 190 x H 35mm



Clamp-on Drip Tray

Individual: W 110 x D 110mm Together: W 220mm x D 110mm Drip trays and clamp on bracket from edge of worktop: D 190mm

