



pura9000 commercial filter

Ion Exchange filter for prevention of limescale, ideal for use in cafés and restaurants, hot water boilers and coffee machines

pura9000

- ✓ Mixed blend of ION exchange resin
- ✓ Removes trace plastics in water down to 10 micron size
- ✓ Reduces scale and removes chlorine content, bad taste and odour issues
- ✓ 30% fixed bypass
- ✓ Capacity of 9,000 litres
- ✓ Retains trace minerals
- ✓ Keeps pH levels stable
- ✓ Protects machines
- ✓ Auto water shut off
- ✓ Easy install / change

SPECIFICATION

Height:	530mm
Width:	150mm
Depth:	150mm
Flow rate:	0.44 gpm (1.67L / min) at 60 psi
Pressure range:	30 - 100 psi
Max temperature:	35 - 100°F (2 - 38°C)
Service life:	6 - 12 months
Capacity:	Up to 9,000 litres
Micron rating:	10 micron
Inlet / outlet size:	$\frac{3}{8}$ inch push fit connectors

pura9000 filtered water produces a consistently better tasting tea/coffee, by stabilising pH levels to ensure the best tasting filtered water with every cup.

pura9000 ION Exchange Resin filters incorporate a mixed blend of media to reduce scale build up, preventing costly machine repairs. These filters can be used in a wide variety of applications including hot water boilers, hot liquid vending and espresso machines in catering establishments.

Reduction of chlorine, taste and odour

High level of scale reduction

Removes trace plastics



Call **01392 877 172** Email **hello@thirstywork.com**
www.thirstywork.com

pura is part of the thirsty work family of companies. The data here is to be understood as an approximate.