



# RiverWM Fountain

Mains Fed • Wall Mounted • Chilled • Filtered



*trial it, love it, keep it!*

Request your no obligation 10 day trial

Call **01392 877 172** Email **hello@thirstywork.com**

**[www.thirstywork.com/free-trial](http://www.thirstywork.com/free-trial)**



**hydrateconsciously!**  
We're committed to reducing plastic waste

# RiverWM Fountain

Mains fed, wall mounted, cold water fountain



## KEY FEATURES

- High volume water fountain
- Sleek style
- Suitable for public environments
- Safe and reliable
- Ice-bank cooling system
- 30 or 55 litres per hour output
- Full filter change and servicing package included
- With **pura** filtration

## COLOUR OPTIONS



Stainless Steel



Matt

## WATER OPTIONS



Chilled



Filtered

## INSTALLATION OPTIONS



Wall mounted

The RiverWM Fountain is connected to the water mains, ensuring constant quality, and the guarantee of a reliable system for drinking water in public areas.

It offers all the advantages of the floor standing model but in a smaller space. The range of taps makes it possible to drink directly from the jet and/or using a cup. The sink also features a drainage system.

## DIMENSIONS

Height:	505mm
Width:	432mm
Depth:	360mm

## INSTALLATION REQUIREMENTS

The RiverWM Fountain requires adequate wall space for installation. Please ensure that the following is available where the system is to be installed:

- ✓ **A potable mains water supply within 5 metres of unit installation location.**
- ✓ **A suitable waste pipe for the removal of excess water**
- ✓ **A 240-volt electric socket within 1 metre of unit location.**
- ✓ **A wall mounting structure capable of supporting 25.6 kg**

All of the above can be confirmed in your site survey.

## FULL SPECIFICATION Wall-mounted, RiverWM Water Fountain

Rated input	180W
Throughput litres per hour	30L/h or 55L/h
Dimensions	432mm (W) x 360mm (D) x 505mm (H)
	Dispense height: approximately 200mm

### INSTALLATION REQUIREMENTS

The RiverWM Fountain requires adequate wall space for installation. Please ensure that the following is available where the system is to be installed:

- ✓ A potable mains water supply within 5 metres of unit installation location.
- ✓ A suitable waste pipe for the removal of excess water
- ✓ A 240-volt electric socket within 1 metre of unit location.
- ✓ A wall mounting structure capable of supporting 25.6 kg

All of the above can be confirmed in your site survey.

### AVAILABLE ACCESSORIES

 Plastic-free  
Recycle me!



#### Recyclable Paper Cups

- 7oz recyclable paper cups
- 4oz paper cones



#### Thirsty Work Water Bottles

Thirsty Work 500ml reusable stainless steel water bottles. 67mm x 270mm high.



#### Bespoke Printed Water Bottles

Add your own company logo to our 500ml reusable stainless steel water bottles. Available in a range of colours.



Request your no obligation 10 day trial

Call **01392 877 172** Email **hello@thirstywork.com**

**[www.thirstywork.com/free-trial](http://www.thirstywork.com/free-trial)**