

# Elkay-Outdoor Wall Mounted

### Manual Bottle Filling Station

Mains Fed · Wall Mounted · Ambient



trial it, love it, keep it!

Request your no obligation 10 day trial
Call **01392 877 172** Email **hello@thirstywork.com**www.thirstywork.com/free-trial

LK4405BFEVG



## hydrateconsciously! We're committed to reducing plastic waste

### Elkay-Outdoor

Mains fed, wall mounted, outdoor bottle filler LK4405BFEVG



#### **COLOUR OPTIONS** (may vary on final product)



Evergreen

Colours shown for representation only. Please ask us for bespoke colour options.

#### **WATER OPTIONS**



**Ambient** 

#### **INSTALLATION OPTIONS**



#### **KEY FEATURES**

- · High volume water bottle filler
- · Evergreen colour as standard
- Suitable for outdoor public environments
- Heavy duty vandal-resistant
- One gallon per minute output of ambient water
- Non-filtered, non-refrigerated model
- · Laminar flow provides minimal splash
- Simple push-button activation

The Elkay Outdoor Wall Mounted Manual Bottle Filling Station is ideal for outdoor installation, with a strong steel frame and a simple push-button activation unit to prevent damage from vandals. A water flow rate of one gallon per minute means that it'll fill your standard 500ml drinks bottle in an impressive seven seconds.

A textured powder-coat finish and rounded corners make this one of the best looking bottle filling stations on the market, and an E-Coat immersion also means the unit is almost completely resistant to corrosion both inside and out.

This bottle filler has been built with heavy duty vandal-resistant features. The access panel is cast from heavy duty steel, with anti-vandal screws. This provides easy access should you need to alter or replace any plumbing connections, yet impossible access for troublemakers.

#### **DIMENSIONS**

Height:	462mm
Width:	254mm
Depth:	486mm

#### MOUNTING INSTRUCTIONS AND PLUMBING CONNECTIONS


#### IMPORTANT! INSTALLER PLEASE NOTE:


Refer to diagrams for plumbing rough-in. This bottle filler is to be mounted on a smooth flat finished wall surface with adequate support.

Note: Wall mounting structure must be capable of supporting a 300lb. load minimum on bottle filler. To secure unit, use 3/8" minimum fasteners (not provided). Water service line and waste line are to be assembled as required. Final check for leaks and correct functions of bottle filler should be made. (For details see the installation instructions). Installation requires trap to be installed in wall. A service supply stop must be installed at the bottle filler inlet line. Trap and service stop not included.

Caution - bottle filler must be securely bolted to wall.

NOTE: For wall support required locations see installation instructions provided with bottle filler.





Information correct at time of printing, please check manufacturer website for latest installation information.

#### FULL SPECIFICATION Elkay Outdoor Wall Mounted Manual Bottle Filling Station

Rated input	N/A	
Throughput litres per hour	Approximately 272 L/h	Depending on mains water pressure
Dimensions	254mm (W) x 486mm (D) x 462mm (H)	
Difficultions	Dispense height: 371mm	

#### **INSTALLATION REQUIREMENTS**

The Elkay-Outdoor Fountain requires adequate wall space for installation. Please ensure that the following is available where the system is to be installed. All of the below can be confirmed in your site survey:

- ✓ A potable water supply in 15mm pipe directly through the wall at the installation point.
- A waste pipe with a minimum size of 32mm directly through the wall at the installation point.
- The external wall structure must be capable of supporting 19Kg.

#### **AVAILABLE ACCESSORIES**



### Recyclable Paper Cups

- 7oz recyclable paper cups
- 4oz paper cones



# Thirsty Work Water Bottles

Thirsty Work 500ml reusable stainless steel water bottles. 67mm x 270mm high.



# Bespoke Printed Water Bottles

Add your own company logo to our 500ml reusable stainless steel water bottles. Available in a range of colours.

