

Elkay-Outdoor Pedestal

Floor Standing Manual Bottle Filling Station

Mains Fed · Floor Mounted · Ambient



trial it, love it, keep it!

Request your no obligation 10 day trial Call **01392 877 172** Email **hello@thirstywork.com**

www.thirstywork.com/free-trial LK4400BFEVGWR





hydrateconsciously! We're committed to reducing plastic waste

Elkay-Outdoor

Mains fed, floor mounted, outdoor bottle filler LK4400BFEVGWR



COLOUR OPTIONS (may vary on final product)



Evergreen

Colours shown for representation only. Please ask us for bespoke colour options.

WATER OPTIONS



Ambient

INSTALLATION OPTIONS



Floor-standing

KEY FEATURES

- · High volume water bottle filler
- Choose from 4 standard colour options, or request a bespoke colour
- Suitable for outdoor public environments
- Heavy duty vandal-resistant
- One gallon per minute output of ambient water
- Non-filtered, non-refrigerated model
- · Laminar flow provides minimal splash
- Simple push-button activation

The Elkay Outdoor Pedestal Floor Standing Manual Bottle Filling Station is ideal for outdoor installation, with a strong 316 marine-grade stainless steel frame and a simple push-button activation unit to prevent damage from vandals. A water flow rate of one gallon per minute means that it'll fill your standard 500ml drinks bottle in an impressive seven seconds.

A high level of cleanliness is achieved primarily due to an in-line strainer which sits in the water inlet. This traps particles of dirt as tiny as 0.14 millimetres or larger, preventing any stray dirt or other contaminants from entering the waterways.

This bottle filler has been built with heavy duty vandal-resistant and corrosion-resistant features. The access panel is cast from heavy duty steel, with anti-vandal screws. This provides easy access should you need to alter or replace any plumbing connections, yet impossible access for troublemakers.

DIMENSIONS

Height:	1626mm
Width:	254mm (355mm at base)
Depth:	254mm (355mm at base)

MOUNTING INSTRUCTIONS AND PLUMBING CONNECTIONS

IMPORTANT! INSTALLER PLEASE NOTE:

Refer to diagrams for plumbing rough-in. Provide solid, well-drained smooth, flat, finished surface to mount pedestal bottle filler (concrete pad recommended) with adequate support (300lb. load minimum). To secure unit, use (6) 3/8" minimum fasteners (not provided).


A service supply stop must be installed at the bottle filler inlet line.

Trap and service stop not included.


Position pedestal over plumbing and secure base to fasteners. Remove access panels and connect supply and water lines. Turn on water supply and check for leaks. Refer to owner's manual for detailed instructions. Reassemble access panels to pedestal.

OPERATING PRESSURES: Supply water 20 – 105 psi maximum

TOP VIEW



SIDE & FRONT VIEWS



A = 3/8" O.D. Unplated copper tube connect. Shut off valve by others. B = Access panel(8" x 10")

Information correct at time of printing, please check manufacturer website for latest installation information.

FULL SPECIFICATION Elkay Outdoor Pedestal Floor Standing Manual Bottle Filling Station

Rated input	N/A	
Throughput litres per hour	Approximately 272 L/h	Depending on mains water pressure
Dimensions	355mm (W) x 355mm (D) x 1626mm (H)	
Difficusions	Dispense height: 371mm	

INSTALLATION REQUIREMENTS

The Elkay-Outdoor requires adequate floor space for installation. Please ensure that the following is available where the system is to be installed. All of the below can be confirmed in your site survey:

- ✓ A level floor pad of concrete or similar that can support 31.2 kg. Minimum dimensions 400mm x 400mm.
- A potable water supply in 15mm pipe directly through the centre of the floor pad.
- A waste pipe with a minimum size of 32mm along side the water supply pipe.
- A Direct Bury fountain adapter is an accessory. It provides a safe housing for the internal service pipes and a template within your prepared concrete pad for secure connection. This is an optional extra, please request at time or order.

AVAILABLE ACCESSORIES



Recyclable Paper Cups

- 7oz recyclable paper cups
- 4oz paper cones



Thirsty Work Water Bottles

Thirsty Work 500ml reusable stainless steel water bottles. 67mm x 270mm high.



Bespoke Printed Water Bottles

Add your own company logo to our 500ml reusable stainless steel water bottles. Available in a range of colours.



Direct Bury Adaptor

Simplify rough-in and installation. 355 x 355 x 362mm.



Request your no obligation 10 day trial
Call **01392 877 172** Email **hello@thirstywork.com**www.thirstywork.com/free-trial