

# Versa Water Fountain

Chilled · Ambient · Filtered



## Versa Water Fountain Wall Mounted

Reduce Plastic Waste Cups & Bottles

hydrateconsciously!

We're committed to reducing plastic waste

The ideal solution for busy venues P8ACY



#### **KEY FEATURES**

- Refrigerated and non-refrigerated options
- Manually activated drinking fountain
- Antimicrobial copper push pad activation
- Delivers 60 litres per hour of chilled water below 10°c and ambient at 21°c
- Suitable for both adults and children
- Surface wall-mounted model
- Highly efficient cooling tank (refrigerated)
- Designed to eliminate splashing and standing water - the water-saving bubbler reduces waste water by 50%
- Built-in drainage no drip tray to empty
- With pura filtration

#### COLOUR OPTIONS COOLING OPTIONS











Non-refrigerated

#### WATER OPTIONS







Filtered

**Ambient** 

The Versa Water Fountain is ideal for busy venues, such as public buildings, gyms and sports complexes, hospitals, schools, and offices.

#### INSTALLATION OPTIONS



Wall Mounted

#### **DIMENSIONS**


Height:	480mm
Width:	448mm
Depth:	473mm

#### **INSTALLATION**

All dimensions are in inches. Dimensions in brackets [] are in millimetres.

#### NOTES:

- 1. TRAP, STOP VALVE AND ELECTRICAL OUTLET NOT FURNISHED.
- 2. ALLOW 4 INCHES [102 MM] MIN. PER SIDE FOR VENTILATION.
- \*3. RECOMMENDED ADULT BARRIER FREE HEIGHT INSTALLATION SHOWN. REDUCE HEIGHT BY 3 INCHES FOR INSTALLATIONS USED PRIMARILY BY CHILDREN AGES 12 AND YOUNGER. UNIT SHALL ALSO HAVE A MINIMUM CLEAR FLOOR SPACE 30[760] BY 48[1220]. ADJUST VERTICAL DIMENSIONS AS REQ'D TO COMPLY WITH FEDERAL, STATE, AND LOCAL CODES.



#### FULL SPECIFICATION Versa Water Fountain surface-mounted cold water fountain.

Power consumption	220-240V, 50/60 Hz	
Cold tank capacity	Refrigerated 60 litres	
Dimensions	448mm (W) x 473mm (D) x 480mm (H)	
Weight	Refrigerated 27kg	Non-refrigerated 11kg

#### INSTALLATION REQUIREMENTS

The Versa Water Fountain requires adequate wall space for installation. Please ensure that the following is available where the system is to be installed. All of the below can be confirmed in your site survey:

- 🖊 A potable mains water supply within 5 metres 🖊 A suitable waste pipe for the removal of of unit installation location.
- A 240-volt electric socket within 1 metre of unit location.
- excess water.
- A wall mounting structure capable of supporting 27Kg.

#### **AVAILABLE ACCESSORIES**



## Recyclable Paper Cups

- 7oz recyclable paper cups
- 4oz paper cones



## Thirsty Work Water Bottles

Thirsty Work 500ml reusable stainless steel water bottles. 67mm x 270mm high.



### Bespoke Printed Water Bottles

Add your own company logo to our 500ml reusable stainless steel water bottles. Available in a range of colours.

