

AquaPointe Bottle Filler

Ambient · Filtered



Optional touch-free, sensor activated dispense

Ideal for indoor and outdoor use

Aquapointe Wall Mounted Bottle Filler



Our most compact non-refrigerated bottle filler PWSMSBE / PWSMEBEY



Manual non-refrigerated model



Touch-free non-refrigerated model

KEY FEATURES

- Ambient water (non-refrigerated model)
- · Compact sports bottle filler
- Manual push button activation or optional electronic touch-free activation with shut-off timer and refill counter
- Enhanced alcove to fit large sports bottles
- Basin is designed to eliminate splashing and standing water.
- Surface wall-mounted or counter top
- Heavy duty steel frame
- No electricity required to operate the manual non-refrigerated model
- Built-in drainage no drip tray to empty
- Simple to replace existing fountains
- With pura filtration

COLOUR OPTIONS



Brushed Stainless Steel

WATER OPTIONS





Ambient Filtered

Not all options are included as standard, please choose at point of order

INSTALLATION OPTIONS



Wall Mounted




The AquaPointe bottle filler is our most compact bottle filler, available as a non-refrigerated, or refrigerated model. It is ideal for busy venues, such as public buildings, gyms and sports complexes, hospitals, schools, and offices. The manual non-refrigerated model requires no power to operate.

The contactless model has a shut-off timer, and an integrated bottle counter that conveniently tracks and displays the number of refills.

DIMENSIONS


| Height (non-refrigerated): | 630mm |
|----------------------------|-------|
| Width (non-refrigerated):: | 413mm |
| Depth (non-refrigerated):: | 144mm |
| Dispense height: | 330mm |


MANUAL NON-REFRIGERATED INSTALLATION



NOTES:

- * 1. RECOMMENDED ADULT BARRIER FREE HEIGHT INSTALLATION SHOWN. ADJUST VERTICAL DIMENSIONS AS REQUIRED TO COMPLY WITH FEDRAL, STATE AND LOCAL CODES.
- 2. 3/8 O.D. WATER INLET WITH STRAINER PROVIDED.
- 3. STOP VALVE, TRAP, PIPE CONNECTOR TO WASTE LINE AND 3/8 COMPRESSION FITTING NOT PROVIDED.
- 4. ALL DIMENSIONS ARE IN INCHES.
 DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.





FULL SPECIFICATION Aguapointe manual, non-refrigerated surface-mounted bottle filler.

| Max power consumption | Manual: No power required |
|----------------------------|-----------------------------------|
| Throughput litres per hour | As mains water supply |
| Dimensions | 413mm (W) x 144mm (D) x 630mm (H) |
| Weight | 5kg |

FULL SPECIFICATION Aquapointe contactless, non-refrigerated surface-mounted bottle filler.

| Max power consumption | Contactless: 7W | Power supply: 220-240V, 50/60 Hz |
|----------------------------|-----------------------------------|----------------------------------|
| Throughput litres per hour | As mains water supply | |
| Dimensions | 413mm (W) x 144mm (D) x 630mm (H) | |
| Weight | 5kg | |

INSTALLATION REQUIREMENTS

The Aquapointe requires adequate wall space for installation. Please ensure that the following is available where the system is to be installed. All of the below can be confirmed in your site survey:

- 🗸 A potable mains water supply within 5 metres 🔽 A suitable waste pipe for the removal of of unit installation location.
- A 240-volt electric socket within 1 metre of unit location.
- excess water.
- A wall mounting structure capable of supporting 27Kg.

AVAILABLE ACCESSORIES



Recyclable Paper Cups

- 7oz recyclable paper cups
- 4oz paper cones



Thirsty Work Water Bottles

Thirsty Work 500ml reusable stainless steel water bottles. 67mm x 270mm high.



Bespoke Printed Water Bottles

Add your own company logo to our 500ml reusable stainless steel water bottles. Available in a range of colours.



Request your no obligation 10 day trial Call 01392 877 172 Email hello@thirstywork.com www.thirstywork.com/free-trial