

# AquaPointe-R Bottle Filler

Chilled • Filtered



Touch-free, sensor activated dispense

Ambient and chilled model options



## Wall Mounted Bottle Filler

Touchless, refrigerated bottle filler



#### **COLOUR OPTIONS**



Brushed Stainless Steel

#### WATER OPTIONS





Chilled Filtered

Not all options are included as standard, please choose at point of order

#### **INSTALLATION OPTIONS**



#### **KEY FEATURES**


- Chilled water
- Compact sports bottle filler
- Electronic touch-free activation with shut-off timer
- Large alcove to fit most sports bottles
- Basin is designed to eliminate splashing and standing water.
- Surface wall-mounted
- Heavy duty steel frame
- The bottle counter tracks how many times the unit has been used and promotes refilling of sports bottles
- Energy-efficient LEDs illuminate alcove and aids bottle filling
- Built-in drainage no drip tray to empty
- Simple to replace existing water fountains
- With pura3000 filtration
- Optional puraguard
   Antibacterial and antiviral protection

The AquaPointe-R bottle filler is a robust and simple to operate refrigerated bottle filler. It is ideal for busy venues, such as public buildings, gyms and sports complexes, hospitals, schools, and offices.

Puraguard is a ground-breaking protective antimicrobial coating that can be applied to your dispensers taps on request).

#### **DIMENSIONS**

Height (refrigerated):	935mm
Width (refrigerated)::	455mm
Depth (refrigerated)::	323mm
Dispense height:	265mm



#### NOTES:

- 1. TRAP, STOP VALVE AND ELECTRICAL OUTLET NOT FURNISHED.
- 2. ALLOW 4 INCHES [102MM] MIN. PER SIDE FOR VENTILATION.
- \* 3. RECOMMENDED ADULT BARRIER FREE HEIGHT INSTALLATION SHOWN. REDUCE HEIGHT BY 3 INCHES FOR INSTALLATIONS USED PRIMARILY BY CHILDREN AGES 12 AND YOUNGER. UNIT SHALL ALSO HAVE A MINIMUM CLEAR FLOOR SPACE 30[760] BY 48[1220]. ADJUST VERTICAL DIMENSIONS AS REQ'D TO COMPLY WITH FEDERAL, STATE, AND LOCAL CODES.
- 4. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.

#### **FULL SPECIFICATION** Aquapointe refrigerated surface-mounted bottle filler.

Max power consumption	Refrigerated, contactless: 7W	Power supply: 220-240V, 50/60 Hz
Throughput litres per hour	60L/h	
Cooling performance	Chilled below 10°C	32°C Ambient
Dimensions	455mm (W) x 323mm (D) x 935mm (H)	
Weight	25.4 kg	

#### **AVAILABLE ACCESSORIES**



## Paper Cups

- 7oz recyclable paper cups
- 7oz biodegradable and compostable paper cups
- 4oz paper cones



## Puraguard

 Antibacterial and Antiviral Protection Coating

