



# VersaFiller Bottle Filler and Fountain

Chilled • Filtered



Touch-free,  
sensor  
activated  
dispense

Manual  
water  
fountain  
activation

Call **01392 877 172** Email **hello@thirstywork.com**  
**www.thirstywork.com**

# Wall Mounted Bottle Filler and Fountain

The ideal solution for busy venues



## COLOUR OPTIONS



Brushed  
Stainless  
Steel

## WATER OPTIONS



Chilled



Filtered

## INSTALLATION OPTIONS



Wall Mounted



**hydrateconsciously!**  
We're committed to reducing plastic waste

## KEY FEATURES

- Chilled water
- Sports bottle filler and drinking fountain combination
- Electronic - touch-free bottle filler activation, and manual drinking fountain
- 30 second shut-off timer
- Enhanced alcove to fit large sports bottles
- Surface wall-mounted model
- Highly efficient cooling tank
- Cooled temperature 10°C
- Designed to eliminate splashing and standing water - the water-saving bubbler reduces waste water by 50%
- Built-in drainage - no drip tray to empty
- With **pura3000** filtration
- Optional **puraguard** Antibacterial and antiviral protection

The VersaFiller hydration station is a combined chilled drinking water fountain and water bottle filler with electronic, touch-free activation (infrared sensor). The drinking water fountain is activated via one of four push-pads. The bottle filler has a shut-off timer, and an integrated bottle counter that tracks and displays the number of refills. This model is suitable for busy venues including public buildings, gyms and sports complexes, hospitals, schools, and offices.


Puraguard is a ground-breaking protective antimicrobial coating that can be applied to your dispensers taps on request, providing 24hr protection against the growth of microbes (bacteria, moulds, fungi and viruses).

## DIMENSIONS

Height:	960mm
Width:	413mm
Depth:	473mm
Dispense height:	330mm

## INSTALLATION

All dimensions are in millimetres.



**FULL SPECIFICATION** VersaFiller surface-mounted combined cold water fountain and bottle filler.

Power consumption	457W	Power supply: 220-240V, 50/60 Hz
Cold tank capacity	60 litres	
Dimensions	413mm (W) x 473mm (D) x 960mm (H)	
Weight	31kg	

#### AVAILABLE ACCESSORIES



#### Paper Cups

- 7oz recyclable paper cups
- 7oz biodegradable and compostable paper cups
- 4oz biodegradable paper cones



#### Puraguard

- Antibacterial and Antiviral Protection Coating



Call **01392 877 172** Email **hello@thirstywork.com**  
**www.thirstywork.com**