

HOSPITALITY TAP SYSTEM

Billi Coloured XL Levered Tap

Chilled • Sparkling • Boiling • Hot and Cold





Billi Coloured XL Levered Tap

Premium boiling, chilled and sparkling filtered drinking water system with optional mixer tap



COLOUR OPTIONS



Chrome

WATER OPTIONS











Hot and Cold Dual mixer option

INSTALLATION OPTIONS







Over Sink



Under-counter Unit

KEY FEATURES

- High capacity output
- Chilled & boiling, chilled, boiling & sparkling and chilled, boiling, sparkling and mixer tap
- water options available
- Optional Braille pads with this model
- 40% more energy efficient, with energy saving pre-set stand-by-mode
- Heat Exchange Technology ensures water usage is minimal
- Install over sink or font options
- ✓ No cupboard ventilation is required for our most energy efficient water-cooled options
- In-built automatic leak detection
- Safety (splash free) technology and safety lock on all taps.
- Global GreenTag Gold Certification
- Available with a 120mm riser and font
- With **pura** filtration

The Billi range of tap systems can be built to suit your venue, offering boiling, chilled and sparkling filtered water instantly. Choose either a single or dual solution. The XL Coloured Levered Tap design is operated by coloured levers, providing full vision safety for visually impaired users. With its disability conscious design this tap is ideal for use in hospitals and community care facilities.

The inbuilt **pura** filter puts better-tasting water on tap, filtering out chlorine taste and odour, and impurities as tiny as one ten-thousandth of a millimetre, but does not remove beneficial fluoride.

DIMENSIONS

Tap height:	184.5mm
Tap depth:	140mm
Dispense height:	137.5mm
Tap height with font and riser:	304.5mm
Tap dispense height with font and ri	ser: 257.5mm

Add a Dual Option Mixer Tap. GOOSENECK AND PADDLE LEVER MIXER TAPS

The Billi range of tap systems can be supplied as a dual solution, featuring a separate sink mixer tap and enabling the option to dispense cold and hot water over a sink, in addition to the over font chilled and boiling drinking water tap.

A unique swivel feature allows the mixer tap to be positioned out-of-the-way of sink access when required.

Choose your preference of tap design.
These systems are preferred by
architects and designers for their
elegant styling and space-saving features.



Black XL Levered Tap, plus Gooseneck Mixer Tap



Chrome XL Levered Tap, plus Paddle Lever Mixer Tap



Add a Sparkling Water Option.

CHOOSE YOUR LEVEL OF SPARKLING

The CO₂ injection system used in the Billi Sparkling systems ensures the saturation of CO₂ in the water is high, which means it has a better taste.

You'll have the ability to adjust the level of sparkling to suit your taste with adjustable controls up to 5 bar of CO₂ pressure.

Add Branded Glass Water Bottles Add your own company logo to our 750ml glass bottle.

Through our bespoke printing service you can brand as little as 60 bottles with your own company design and logo.

Simply supply us with your vector artwork. Set-up, delivery and full colour printing is included. All prices exclude VAT.

- Cut single-use, plastic bottled water
- Reduce the environmental impact of transportation and packaging waste
- ✓ Gain fridge and storeroom space







A Sustainable Drinking Water Solution

OPTIMAL WATER AND ENERGY SAVINGS

The range of Billi Tap Systems are Green Tag Certified, and are over 40% more energy efficient in harnessing heat energy from the cooling process when compared with other systems. These systems have been designed to keep cupboards and surrounding areas free from heat.

High performance insulation retains water temperature and saves energy, and the stand-by mode can be set to activate after a pre-set time of non-use.

The Quadra cold and boiling water tap systems can be installed without ventilation or cooling fans.


Enjoy pure, clean drinking water, without the costly environmental impact.

Water Cooled, Energy Saving Technology

ENVIRONMENTALLY SENSITIVE APPLIANCES

This range has been built with many energy and water saving features, including the iconic Heat Exchange Technology, which recovers and re-uses the waste heat energy produced in the chilling process to pre-heat the boiling water.

These water cooled systems are more energy efficient than air cooled systems, whilst ensuring that water usage is absolutely minimal.





Ultimate Gold Service and Maintenance Plan.

RECOMMENDED FOR ALL BILLI WATER TAP SYSTEMS

Drinking water systems require regular service, maintenance and filter replacements to ensure optimal water quality and an ongoing high level of performance.

Our Service and Maintenance Package includes multiple benefits and access to;

- Expert support and advice
- A fully qualified engineer
- Peace of mind
- Fast and reliable service
- Consistent quality
- Superior sanitisation and filter change programme*



Our superior service, sanitisation and filter change programme includes:

- Machine filter change
- Flush filter
- Temperature sensor readings
- Pump speed reconfigurations
- System review
- Full inspection of tap assembly
- Priority response
- Scale filter management
- Unlimited call outs
- Free parts and labour
- Full call-out and repair service





Choose your water dispense option

COMPACT UNDER-COUNTER SYSTEMS

The under-counter system can be supplied in a range of output options, from 40 to 100 users, delivering up to 250 cups of boiling water per hour and up to 175 cups of chilled or sparking water per hour.

Choose from the Quadra Compact, 460, 4100 or Sparkling space saving under-counter units.

These units are often much smaller than comparative products, allowing you to make the most of valuable cupboard space, while offering large capacities.

Both the chilled and boiling options are space saving, energy efficient and elegant, whilst being built for high-use with environmentally sensitive features.

OUTPUT OPTIONS

The Billi system is fed from an under-counter unit. Choose the output option to suit your requirements.

Model	Chilled cups/hr	Boiling cups/hr	Sparkling cups/hr	Power required	Water System	Under-counter unit dimensions (mm)
Quadra Compact	150	100	-	13 amps	Water cooled	W 315 x D 365 x H 340
Quadra 460	175	180	-	13 amps	Water cooled	W 315 x D 465 x H 340
Quadra 4100	175	250	-	20 amps	Water cooled	W 315 x D 465 x H 340
Quadra Sparkling*	150	180	150	2 x 13 amp	Water Cooled	W 180 x D 460 x H 420 W 180 x D 460 x H 340

^{*}The Sparkling option consists of two modules, the Chilled and Sparkling module, and the Boiling module.

Optional font and riser

DIMENSIONS

Riser height: 120mm Font depth: 290mm Font width: 190mm



